

Redefining the Large-Format Printer.

Up to 144 D Prints/Hour* LUCIA TD Pigment Ink Scan-to-Copy/File/ Share Solution Available



The Future Of Large-Format Printing Is Now

Print technical documents, blueprints, posters, and infographics. Your applications can change—your printer doesn't have to.

•24" imagePROGRAF TM-200

•36" imagePROGRAF TM-305/300

•36" imagePROGRAF TM-305/300 MFP Z36 Scan-to-Copy/File/Share Solution









Up to



- TD Pigment Ink
- Fast Print Speeds
- Direct USB Thumb
 Drive Printing
- Batch Printing
- Wi-Fi® Printing
- Small Footprint
- Security Features
- Nesting and Tiling of Files
- Quiet Operation
- Touch Screen Panel
- Poster Creation Software

Canon has redefined the capabilities of a large-format printer with the imagePROGRAF TM Series—all in an office-friendly printer that's up to **60% quieter** than previous imagePROGRAF printers.

LUCIA TD INK

The imagePROGRAF TM Series printers utilize the 5-color LUCIA TD Pigment ink system for water-resistant prints.

FAST PRINT SPEEDS

Faster printing of multipage files and sets than previous models.

DIRECT USB THUMB DRIVE PRINTING

Available with the TM-305 printer, PDF and JPEG files can be directly printed from the printer. You can preview the image on the operation panel prior to printing.

WI-FI®

Print mobile from anywhere in the office or from a job site.**

SMALL FOOTPRINT

Sized to easily fit environments where space is limited.

SECURITY FEATURES

- Secure Disk Erase (Conforms to U.S. Department of Defense standard DoD5220.22-M)
- IPsec Support
- SSL/TLS
- 802.1x Authentication

TOUCH SCREEN OPERATION PANEL

Intuitive 3" color touch screen panel for simple device control.

 $^{^{\}star} \text{ All speeds measured using plain paper, Fast Q5 mode. The 144 ANSI D prints/hour is measured from when the first print begins printing.} \\$

^{**} Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

Print Big. Print Easy. Print Now.

With an abundance of software included, the imagePROGRAF TM Series is equipped with everything needed to print posters, banners, signage, infographics, designs, technical documents, maps, and more!

- PosterArtist Lite Create professional posters in four easy steps—now supports the creation of multilingual posters and tiling!
- Easy-PhotoPrint Editor Simple solution for creating photo layouts, business cards, and calendars—both Windows® and Mac® compatible and mobile-friendly!
- Free Layout Plus Nest, tile, and create custom layouts before printing your files with this print utility. Use the Plug-in feature to print directly from Microsoft® Office programs.
- Direct Print Plus In as little as one step, simply drag and drop files for on-demand printing. High-speed file processing, batch printing, and the ability to monitor the status of more than one device are just some of the key advantages of Canon's Direct Print Plus software.
- **Accounting Manager** Track the amount of ink and paper being consumed for up to 50 printers!
- AutoCAD® Optimized Printer Driver Enables accurate printing of drawing data created with AutoCAD®.
- **Unified TM Printer Driver** Enables users to print from multiple TM and TX Series devices.

Scan-to-Copy/File/Share Systems

Add the ability to **duplicate** documents and **archive** old originals as well as **save and share** your changes quickly by emailing or saving to a common site.

- Scanning speed of up to 13 inches per second (monochrome) and up to 6 inches per second (color)
- Scan documents up to 1.0 mm thick
- Face-up front-loading scanning with rear exit



The imagePROGRAF TM Series contains multiple components, some of which are manufactured by third parties. To the extent that such third-party offerings come with limited warranties, such limited warranties are hereby passed to the purchaser, and Canon shall have no obligation or any liability with respect to such third-party offerings.

TM Series

Print Head

PF-06

Number of Nozzles

Matte Black: 5,120 Nozzles Other Colors: 2,560 Nozzles per Color

Droplet Size

5 Picoliter

Pigment: Matte Black (MBK), Cyan (C), Magenta (M), Yellow (Y), Black (BK)

Ink Tank

Shipped with Printer: MBK (130 ml) BK, C, M, Y (90 ml) Replacement: PFI-120 (130 ml), PFI-320 (300 ml)

Printer RAM

TM-305: 128 GB (2 GB Physical Memory)

TM-200/300: 2 GB

Hard Drive

TM-305: 500 GB

Media Feed

Roll Feed: One Roll, Front-loading, Front Output

Cut Sheet: Top-loading, Front Output

Media Width TM-305/300

8"-36" (203 mm – 914 mm) 8"-36" (203 mm –914 mm) Roll Feed: Cut Sheet:

TM-200

8"-24" (203 mm - 610 mm) Roll Feed: 8"-24" (203 mm - 610 mm) Cut Sheet:

Media Cutter

Durable Dual-Blade Rotary Cutter

Media Thickness

0.07 mm - 0.8 mm

Media Core Sizes

2" and 3" Core (Adapter Included)

Maximum Roll Outer Diameter

5.9" (150 mm)

Media Output Options

TM-305: Flat Stacking Basket (standard)

TM-300/200: Basket (standard)

Printing Software Utilities

Accounting Manager, Canon Print Service, Device Management Console, Direct Print Plus, Free Layout Plus, imagePROGRAF Printer Driver for Windows*/Mac*, Media Configuration Tool, PosterArtist Lite for Windows, Canon PRINT Inkjet Selphy, Easy-Photo PrintEditor, Optimized Driver for AutoCAD*

Operating System

Windows 7 (32/64-bit), Windows 8.1 (32/64-bit), Windows 10 (32/64-bit), Windows Server 2008 R2, (32/64-bit), Windows Server 2012 (64-bit), Windows Server 2012 R2 (64-bit), Windows Server 2016 (64-bit), Windows Server 2019 (64-bit), Macintosh OS X v10.10.5-v10.12x

TM-305: Standard (Built-in): USB 2.0 Hi-Speed, 10/100/ 1000Base-T/TX, Wireless LAN (IEEE 802.11 b/g/n)
Direct USB Thumb Drive

TM-300/200: Standard (Built-in): USB 2.0 Hi-Speed, 10/100/1000Base-T/TX, Wireless LAN (IEEE 802.11 b/g/n) **Power Supply**

AC 100 - 240V (50 - 60 Hz)

Power Consumption

Maximum: 69 Worless 3.6 W or Less Standby:

Power Óff: 0.3 W or Less (Executive Order Compliant)

Certifications

Environmental Certifications

ENERGY STAR® (Worldwide)

59° F - 86° F (15° C - 30° C) Temperature: Relative Humidity: 10 - 80% (No Condensation)

Printer Dimensions (H x W x D) and Weight

(With Basket Open)

42" x 51" x 35"; Approx 134 lb. 42" x 51" x 34"; Approx 130 lb. 42" x 38" x 34"; Approx 112 lb. TM-305: TM-300: TM-200:

Package Dimensions (H x W x D) and Weight

(With Stand, Basket, and Pallet)

38" x 58" x 36"; Approx. 231 lb. 38" x 58" x 36"; Approx. 229 lb. 38" x 45" x 36"; Approx. 187 lb. TM-305: TM-300: TM-200:

Options

TM-200: 2"/3" Roll Holder Set (RH2-28) **TM-305/300:** 2"/3" Roll Holder Set (RH2-35); PosterArtist

User-Replaceable Items

Ink Tank (PFI-120/PFI-320)

• Print Head (PF-06)

Maintenance Cartridge (MC-31)

• Cutter Blade (CT-08)

Printer, Basket, Stand, 2"/3" Core Media Spool (Adapters Included), Power Cord, Tools and Screws, Print Head, Maintenance Cartridge (Installed), 5 Ink Tanks (130 ml: MBK, 90 ml: BK/C/M/Y), Sample Heavyweight Coated Paper (A2/2 Sheets), Ethernet Card (built-in), USB 2.0 High-speed Interface, USB Connection Sheet, WR Service Terms Leaflet, User Manual, Quick Setup Guide, User Software CD for Windows (Printer Driver Utilities), PosterArtist Lite CD, User Registration Card

Z36 SCANNER

Scan Speed■■

- 24-bit Color @ 200 dpi: 3" (Per Second)
- 8-bit Grayscale and Monochrome @ 200 dpi: 13" (Per Second)

Scan Modes

- 16.7 Million Color RGB (24-bit)
- 256-level Grayscale (8-bit)
- Black and White (1-bit)

Color Space

sRGB

Maximum Resolution 1200 dpi (Optical)

Scan Accuracy +/- 0.1% : +/- 1 pixel

Maximum Scan Width

36"

Maximum Media Width

38"

Maximum Scan Length

164' (PDF); 315" (JPEG); 598" (TIFF)

Maximum Media Thickness

0.003" - 0.04" (0.07 mm - 1.0 mm)

Digital Imaging Technology

Contact Image Sensor (CIS) Technology (SingleSensor Assembly)

- 24-bit RGB digital color image capture
- 16-bit grayscale image capture
 Panchromatic monochrome and black and white
- \bullet Bi-directional extra long-life LED light system for optimum object illumination and instant-on scanning capability

Included Software

SmartWorks MFP Scan-to-Copy/File/Email with Real-time Image Viewer; supports TIFF, JPEG, TIFF G4, and PDF

Operating System

Windows 10 LTSC

Scanner Interface Kit

Superspeed USB 3.0 (PC Connector Compatible with USB 2.0 and USB 3.0 sockets)

Operating Environment

10° C - 35° C, 35 - 80% RH, Non-condensing

External Power Supply

100 - 240 VAC Autosensing +/- 10%, 50 - 60 Hz

Scanner Power Consumption

Sleep/Idle: 0.2 W/12.4 W

Scanning Color/Grayscale @ 200 dpi: 22.7 W/23.3 W

ENERGY STAR®, CB (62368-1), CE, FCC (EMC), Cul/UL, CCC, NOM-019, EAC, C-TICK, VCCI, BIS, EMC +LOA, UL AR, WEEE, REACH, RoHS, EU—Tier 3 of Lot 6

Scanner Dimensions (H x W x D)

7" x 42" x 10"

Scanner Weight

17.3 lb. (Approx.)

What's In The Box?

- Z36 Scanner with Power Cord, USB 3.0 Cable (2 meter) • 15.6" System Controller
- 3:1 Trident Power Cord
- Power Supply
- Mount for Printer and System Controller
- 2 Paper Edge Guides
- Document Return Guides
- Calibration Target
- Assembly and Startup Guide
- Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless
- The scan rate is proportional across the full range of resolutions supported by the scanner. Actual scan times will depend on the host system performance. Quoted top speeds may be limited by the effective bandwidth of the USB 2 and is not guaranteed for all media types.

Note: Model shown on cover is the TM-305 MFP Z36. The imagePROGRAF TM-305 MFP Z36 system contains multiple components, some of which are manufactured by third parties. To the extent that such third-party offerings come with limited warranties, those such limited warranties are hereby passed to the purchaser, and Canon shall have no obligation

Canon products offer certain security features, yet many variables can impact the security of your Canon products orner certain security reactures, yet many variables can impact the security or your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Some security features may impact functionality/performance; you may want to test these settings in your environment.

As an ENERGY STAR* Partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Canon and imagePROGRAF are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi allows All to the referenced product makes and trademarks of the Wi-Fi allows. alliance. All other referenced product names and marks are trademarks of their respective owners. All printer output and screen images are simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2022 Canon U.S.A., Inc. All rights reserved. 0222R1-TMZ36-Bro-PDF-IH













